



# شركة ماهيش للتجارة ش . م . م MAHESH TRADING COMPANY

LLC

- Lifting Equipments
- Material Handling Equipments
- Pipe Fittings
- Wire Ropes
- Fasteners
- Oilfield Equipment
- Sanitary ware
- Valves & Accesories
- CNC Machine Works
- Design and Analysis in 3D Cad



[www.maheshtradingoman.com](http://www.maheshtradingoman.com)

Location: Near Al Ansari BLDG, Ghala, Sultanate of Oman


GSM: +968 99250248/98819231/98825057 TEL: +968 24505547 FAX: 24502381

Email: [sales@maheshtradingoman.com](mailto:sales@maheshtradingoman.com)/[jayeshmtc@hotmail.com](mailto:jayeshmtc@hotmail.com)

- All types of piston seals, rod seals, rotary seals, guide seals, o rings
- D printing, Scanning, CAD prototyping, Mold design,
- Air Compressors and equipment.
- Design and Analysis of parts in CAD/CAM using Solidworks, CATIA,
- Ansys, Pro-E, Mach-3.
- Adhesives + Glues
- CNC tools and Equipment : Gear Cutters, Tap & Die, Reamers,
- Carbide End Mill, Collets and Adaptor, Key Stocks, Taper Shank and equipments.
- Plastering Equipment.
- Name TAG, Machine TAG, manufacturing
- LOTO Locks & Safety Equipment.
- Ladders : Aluminum/ Fiberglass : Step ladder, Extension Ladder, Step Ladder.
- Brass fittings, Grooved fittings, Instrumentation fittings.
- Fasteners - Stainless steel, Brass, Mild Steel, Galvanized Iron, Passivized bolts, Anchor bolts, Nuts, bolts, washers, Spring washers ( various types )
- Welding equipment ( Arc welding accessories, Gas Welding Accessories, TIG welding accessories, Welding cables, Welding torch, Regulators, Fire Blanket, Journeyman sets etc)
- Plasma cutting Machines. (Custom bed size, commissioning + Installation)
- CNC Milling Machines, Wood Routers, Plasma cutters, Waterjets. (3Axis, 4Axis commissioning, CAD drawings, Installation+maintenance)
- Union, Nipples, Reducer Bushes, Sockets etc. ( PVC, Galvanized iron, MI, 3000psi Stainless steel, ss316, sh-40, sh-80 for class 150, 3000psi and 6000psi)
- General Hardware ( PVC beading, Aluminium profiles, Form work accessories, PVC spacers )
- Sanitary Ware ( Grohe, Kistenmacher, Pegler )
- Oilfield supplies - Asbestos sheets, Graphite sheets, Non-asbestos sheets
- Workshop equipment - ( Hole Saws, Drill bits, Wire brush, Cup Brush, Mounting stones )
- Valves ( Non-return valves, Check Valves, Gate Valves, Butterfly valves, Ball valve, Handle Valve, Wafer check valves, Y-Strainers )
- Oil field machinery, accessories. ( Gaskets, Cam Lock couplings, Victaulic Couplings, Bauer & Miller coupling, Pipe repair couplings, leak repair clamp, Storz coupling with/Without cover(1" to 6"), John Morris Coupling (3" to 8"), slip on flange, threaded, socket weld, weld neck flange, split sleeve couplings, SCH40 MS fittings), Straub Clamp, Step Couplings
- Vibratory Separators, screened. Vibro Shifters, Vibro Sifter, Vibro Sieves.
- Commercial kitchen equipment , custom made (Stainless steel Kitchens, India)
- Vibratory Separators, screened. Vibro Shifters, Vibro Sifter, Vibro Sieves.
- Commercial kitchen equipment , custom made (Stainless steel Kitchens, India)
- Locks and equipment - Guli, Orlando, Union.
- Marine and rigging equipment ( D shackle, Bow Shackle, Thimbles, Master link, Turn buckle, Eye hooks, webbing slings, rope slings, Stainless steel chains, chain slings, wire rope slings, Turn Buckles, Load binder, Chain Block, Wire rope winch (TIRFOR), Lever hoist, Electric Chain Block etc )
- Material Handling: Container Twistlock, Bridge Fittings, Lashing bar, Plaing Trolley, Gear Trolley etc.
- Metals - Brass, Aluminium, bronze, carbon, copper, cast iron, non ferrous alloys etc in Plates, sheets, flat bars, squares, hex bars and rods.
- Axial Jet fans ( for underground parking ventilation with CFD model analysis, Brands: Kruger, )
- Temperature gauges, pressure gauges (Digital and analog type, Bourdon tube gauge, Diaphragm Tube Gauge, Thermocouples, Mercury filled, all shapes and sizes)
- Abrasives - Cutting discs, Grinding discs, blades etc.
- Paints and Coatings - Oil based and water based, National, Saddlin, Jotun, Berger.
- Scaffolding wheels, Castor wheels, Scaffolding accessories, Germany.
- Anti vibration pads, Vibration iso pads, Vibration isolation pads, VIMCO USA.
- Rope Manila rope, Polypropylene rope, Pure nylon rope, Rotating wire rope, Fibre core wire rope, SS wire rope etc.
- Hose Clamps : Single bolt, Jubilee Clamps, Double bolt clamps etc.
- Tools: Hand tools, Electric, Pneumatic Tools ( Air impact wrench, Ratchet Wrench, Drills, Die grinders, Riveter etc), Brass hand tools, Hammers, Tin Snips, Files, Chisels, Tube cutters, Feeler Gauge, Wire strippers, Depth Gauge, Vernier Calipers, face milling cutter, bull nose center, 3-jaw self centering chuck, lathe center, torque wrenches etc.
- Chains : Mild Steel, Stainless steel, ss304, SS316, PVC etc.
- Barriers and Road Blocks: Barrier Gate, Speed Gate, Tripod
- Turnstile, Heavy Roadblock etc.
- Ducting equipments.
- Plumbing Items Sanitary ware.
- Expansions joint: Rubber expansion bellow, steel expansion bellow
- Neo-Dyn switches, Pressure switches.
- O-ring sets, O-Ring rolls.
- Top Loading Arms

## ROPES :-

Wire rope, Manila Rope, P.P. Ropes, Nylon Ropes and Mix Ropes. Vast range of Wire ropes in GI and Ungalvanised, Used for: Lifting, Towing, Lashing Etc. Sizes available in Inches and Millimeters. Make: Korea with MTC.



## Wire Rope Thimble :-

Material: Galvanised and Stainless Steel, Light and Heavy Duty. Rope Dia: 1/4", 5/16", 3/8" etc upto 2 1/2".

## Crimps, Sleeves, Clips and Swagers :-

**Sleeve** material: Brass, Stainless Steel and Zinc Plated Copper.  
Stop sleeves for wire ropes: Material - Aluminium  
Sizes: 1/32" to 1/4"  
GI Forged Wire rope Clips  
Zinc Plated Malleable Wire Rope Clips  
Stainless Steel Wire Rope Clips



1/4	9/16	1 1/2	
5/16	5/8	1 1/2	
3/8	3/4	1-5/8	
7/16	7/8	1 3/2	
1/2	1	2	2 1/2



## Alloy Chain, G.I. Chain and S.S. Chain :-

Alloy chain in Grade 80. Make: Australia, UK

**Galvanised Chain (GI) in a bag of 30 Mtrs.**  
GI chains come in Regular and Long link.



**Stainless Steel Chain in 304 and 316 Grade.**  
Sizes 6mm to 20 mm.  
Alloy Chain ( MS chain - GR 80 )  
Table



## Chain sling, Wire rope slings, webbings sling

We stock various types of Wire rope slings & Chain slings according to your requirements with test certification. We also deal in Nylon webbing slings, Cargo lashing Belt, Cargo Lashing Belt, Nylon Webbing Sling comes in different sizes & in Single ply & Double ply. Endless Webbing Sling are available as per your need.

Capacity : 2 ton , 5 ton etc.



## Hooks, Shackles, Master Link & Connecting Links

Types of Hooks which are used for different purposes.

Connecting links European type

Size mm	WLL Ton	N.W.Kg
5/6-8	1.00	0.095
6/7-8	1.20	0.14
7/8-8	2.00	0.20
10-8	3.20	0.38
13-8	5.40	0.76
16-8	8.20	1.10



### Eye hooks for Lifting

Eye Hook with Latch available in 0.5, 1, 2, 3, 4.5, 5, 7.5, 8, 11, 12 & 15 Ton.

### Swivel Eye Hook with Latch

Swivel Eye Hook Latch available in 1, 2, 3 and 5 Ton.



### Master Link & Master Link Assembly

Alloy Steel - Quenched and Tempered  
Individually proof tested at 2 Times WLL

### Clevis Grab Hooks

- Forged Alloy Steel
- Quenched and Tempered
- Ultimate Load is 4 Times working load limit

Chain Size (inch)	Working Load Limited (LBS)	Dimensions (inch)				Weight (LBS)
		A	B	C	D	
1/4	3.500	0.37	1.10	2.56	0.38	0.42
3/8	7.100	0.47	1.32	3.25	0.50	1.26
1/2	12.000	0.57	1.61	4.19	0.62	3.45
5/8	15.100	0.81	2.05	5.03	0.75	5.64
3/4	28.300	0.88	2.71	5.95	0.88	10.40

### High Tension Shackles

### D-Shackle Screw Pin Type, Bow Shackle Screw Pin Type & Bow Shackle Nut & Bolt

Sizes: 1/4" - 0.5 Tons upto 3" - 85 Tons





## Different type of Turnbuckles

Load binders, Vertical and Horizontal Lifting Clamps  
 Eye & Eye Jaw & Jaw Turnbuckles in various sizes with  
 manufacturers certification – Made in China

## Capacity Related Turnbuckles

Type: Eye - Eye & Jaw - Jaw

Size (inch)	Length (inch)
1/2	6
1/2	9
5/8	9
5/8	12
3/4	9
3/4	12
7/8	12
7/8	18
1	12
1	18
1 1/4	12
1 1/4	18
1 1/2	12
1 1/2	18
2	24



## Load Binder

### Ratchet type load binder

- Safety, reliable design for easy operation
- No requirement for locking of handle than lever type load binders
- High quality drop forged construction
- Heat treated for extra strength
- Short Reach hooks for optimum take-up
- Each binder individually proof tested


Mini-Max Chain Size (inch)	Working Load Limited (LBS)	Proof Load (LBS)	Minimum Ultimate Load (LBS)
1/4-5/16	2600	2600	9200
5/16-3/8	5400	5400	19000
3/8-1/2	9200	9200	33000
1/2-5/8	13000	13000	46000



### Lever type load binder

- Safe, durable designed for heavy moving use
- Drop forged steel, High strength.
- 360Deg swivel hooks for easier handling
- Heat treated for extra strength
- Each binder individually proof tested

Mini-Max Chain Size (inch)	Working Load Limited (lbs)	Proof Load (lbs)	Minimum Ultimate Load (lbs)
1/4-5/16	2600	2600	9200
5/16-3/8	5400	5400	19000
3/8-1/2	9200	9200	33000
1/2-5/8	13000	13000	46000



## Pipe lifting Clamp (For surface protection)

Suitable for horizontal lifting of Steel and Concrete pipes. One pair or Two pairs of clamps should be used together.

Ton Capacity: 1.5, 3, 4, 6 & 8

Drum Lifters ( Horizontal and Vertical Types )



## Chain Block & Lever Hoist

We also have a vast range of Manual Chain Blocks in Various brands, which are TOYO, AKITA from Japan ranging between 0.5 Tons up to 20 Tons. Electric Chain blocks in TOYO, Japan range from 1 Ton up to 5 Ton. Lever Hoists by TOYO, Japan from 0.75 tons up to 6 Tons.

## Wire Rope Winch (Tirfor)

MODEL	NHSS0.8	NHSS1.0	NHSS1.6	NHSS3.2
Rated Capacity (t)	0.8	1.0	1.6	3.2
Pulling Capacity (t)	1.2	1.5	2.4	4.8
Rated Forward Travel (mm)	≥52	≥52	≥55	≥28
Efficient Length Of Forward Handle (mm)	825	825	1200	1200
Drive Stop	1	1	1	2
Rope Diameter (mm)	8	8	11	16
Standard Length Of Rope (m)	20	20	20	20
Net Weight (kg)	16	16	24	32
Rated Forward Hand Power (N)	≤ 284	≤ 353	≤ 412	≤ 441
Max. Overall Size (mm)	428x64x325	428x64x235	545x97x286	660x116x350

## Chain Blocks Origin: UK, Japan Brand: George Taylor, Akita, TOYO

MODEL	HSZ-0.5	HSZ-1	HSZ-1.5	HSZ-2	HSZ-3	HSZ-5	HSZ-10	HSZ-20
Capacity (t)	0.5	1	1.5	2	3	5	10	20
Standard Lift (m)	2.5	2.5	2.5	2.5	3	3	3	3
Effort Required TO Lift Max. Load (N)	170	340	390	340	390	420	420	420
No.Of Columns Of Load Chain	1	1	1	2	2	2	4	8
Load Chain Dia (mm)	6	6	8	6	8	10	10	10
Net Weight (kg)	9.5	9.5	15	12.5	22.5	36	68	150
Extra wt,per Meter Of Extra Lift. Kg	1.7	1.7	2.3	2.5	3.7	5.3	9.7	19.4

## Lever Hoist Origin: UK, Japan Brand: George Taylor, Akita, TOYO

MODEL	HSHB075	HSHB100	HSHB150	HSHB300	HSHB600
Capacity (t)	0.75	1	1.5	3	6
Standard Lift (m)	1.5	1.5	1.5	1.5	1.5
No Of Columns Of Food Chain	1	1	1	1	2
Load Chain Dia (mm)	6.3	6.3	7.1	9	9
Net Weight (kg)	6.9	7.1	9.7	16.3	26.7
Min Distance Between Hooks (mm)	295	310	335	405	550
Pulling Efforts (kg)	15	20	18	38	39


## Electric Chain Blocks Origin: UK, Japan Brand: George Taylor, Akita, TOYO (also in 3 & 5 ton)

MODEL	HSHB075	HSHB075	HSHB075
Rated Capacity (kg)	500	1000	2000
Standard Lift (m)	6	6	6
Test Load (kN)	6.3	12.5	25
Motor Power (KW)	0.8	1.1	1.1
No Of Columns Of Food Chain	1	1	2
Load Chain Dia (mm)	7.1	7.1	7.1
Lift Speed (m/mm)	5.80	4.30	2.15



## Valves & Assoriescc

- Non-return valves
- Check Valves
- Gate Valves
- Butterfly valves
- Ball valve
- Handle Valve
- Wafer check valves
- Y-Strainers
- Pressure Reducing Valves
- Expansion Bellows ( Steel and Rubber )
- Gaskets Etc



## Container Lashing Equipment Intermediate Twistlock

Item	Tension BL(Ton)	SWL(Ton)	Shear B.L( Ton)	Wt.kg
T1-1	50	25	42	5.8

Material : Forged shaft and ductile iron housing, stainless steel spring.  
 Finish: Hot dip galvanised .  
 Class Approval: All items can be supplied with approval and classification.

## Bridge Fittings

Item	Tension BL(Ton)	SWL(Ton)	Wt.kg
DR-1/DR-1A	50	25	4.3/7.6
DR-2	36	18	3.2
DR-3	20	10	2.3
DR-3	10	5	1.8

Material : Drop Forged  
 Finish: D-Ring hot dip galvanised and strip painted.  
 Class Approval: All items can be supplied with approval and classification.

## Lashing Bar

Item	Tension BL(Ton)	SWL(Ton)	Wt.kg
LB-1S/LB-25	50	25	4.3/7.6

Material : High tenstile steel  
 Finish: D-Ring hot dip galvanised.  
 Class Approval: All items can be supplied with approval and classification.

## Material Handling Systems

Wheel barrows, Pallet stackers, Manufacture of Single & Double Trolleys and accessories



CASTER WHEELS

## MOTORIZED Trolleys


There is motorized trolley available suitable for the Electric Chain Blocks. Wire rope Pulling Hoist (Trifor) also available. Brand: Toyo - Japan, Trifor.

Plain Trolley

Capacity: 1,2,3 & 5 Tons

Gear Trolley

Capacity: 1,2,3 & 5 Tons



## Couplings:

Camlock Coupling, King Nipple, Hose Mender, Chicago Coupling & Whipcheck.  
 Range of Camlock (Grooved) Fittings used for Hose fitting.

Camlocks are available in Alu., Brass, Stainless Steel and PVC in BSPT and NPT threads.

Sizes : ½" up to 8"

King Nipples are available in GI, Steel & PVC between ½" to

GI Hose menders are also available from ½" to 12" sizes.

GI Chicago Couplings are available from ¼" up to 2" sizes.

Whipcheck is used for safety purpose, Size: - 1/8" & ¼"



## Bauer Coupling, Storz Coupling John Morris Coupling and Washers.

G.I. Bauer Coupling is available from 2" up to 8"

Storz coupling comes in 3 parts: Male, Female and Hose End.

Sizes: 2" up to 4"



## John Morris Coupling is available in Aluminium & Brass.

These couplings are used with Fire Hoses for Fire Fighting Purposes.

Sizes in Aluminium: 2 ½" x 1 ½", 2 ½" x 2", 2 ½" x 2 ½"

Sizes in Brass: 2" x 2", 2 ½" x 1 ½", 2 ½" x 2", 2 ½" x 2 ½"

Butterfly Valve available in CP, Brass and St.Steel.

Ball Valves available in CP, Brass and St.Steel from ¼" to 6"

Washers and Gaskets for all fittings are all available.



## John Morris Coupling

Brass - Sizes : 2.5" x 1.5", 2.5" x 2", 2.5" x 2.5"

Special size Aluminium - Size: 1.5" x 1.5"



## Storz Coupling

Sizes: 2", 3" & 4"

## Storz Coupling with cover

Sizes: 2", 3" and 4"

Victaulic Couplings.






Mahesh Trading Co LLC has been catering to Mining, Hardware, Oilfield Petrochemical, Engineering & Workshops segment since 2002 in Oman for all requirements of Tools, Building materials, Electrical and Hardware.

We are complete providers for infrastructure and engineering solutions. Our showroom in Muscat, Ghala displays our complete range of products. Our experienced staff of engineers with foremen continuously work to fulfill all your requirements.

We also provide services to Sohar, Mabela, Duqm among other regions.



## **MAHESH TRADING COMPANY LLC.**

Importers & Stockist Of Marine Supplies, Building Material & Rigging Hardware

Location: Near Al Ansari BLDG, Ghala, Sultanate of Oman  
GSM: +968 99250248/98819231/98825057 TEL: +968 24505547 FAX: 24502381  
Email: [sales@maheshtradingoman.com](mailto:sales@maheshtradingoman.com)/[jayeshmtc@hotmail.com](mailto:jayeshmtc@hotmail.com)